

MC-80

Automated Digital Cell Morphology Analyzer
Technical Specifications

Analysis mode

Peripheral Blood (WBC, RBC+PLT, PLT-Pro), Body Fluid (WBC, Overview 10X, Overview 10X+100X), Digital Slide.

Different combinations of analysis mode could be triggered according to the results of hematology analyzer.

Throughput

Peripheral blood: up to 60 Slides/hour (100WBC+RBC+PLT)
Body fluid: minimum 15 sliders/hour(100WBC+ Overview 10X)

** Values provided are approximate due to WBC concentration, number of non-WBCs and quality of the smear.*

Oiling Method

Automatic oil dripping

Slide Storage Capacity

Up to 60 completed slides at the same time

Quality Control

Cell location accuracy test for the verification of the hardware and stain quality

Communication

Bi-directional LIS
Ethernet 10/100/1000 Mbps

Supported Printers

Laser/inkjet printers supported by Windows

System Components

labXpert software
Computer with operating system of Windows 10 or above

Data Storage Capacity

Up to 80,000 samples
Support data and cell Images archiving of peripheral blood and body fluid slides

Operating Environment

Ambient temperature: 15°C~32°C
Relative humidity: 30%~85%
Atmospheric pressure: 70.0kPa ~ 106.0kPa (Altitude height: -400 m to +3000 m)

Power Supply

Voltage: 100 V~240 V (allowable deviation:±10%)
Frequency: 50Hz/60Hz (allowable deviation: ±2Hz)
Power: 300VA

Dimensions and Weight

Analyzer dimensions
Width×Depth×Height ≤ 600mm×570mm× 700mm
Analyzer weight ≤100 kg

Diverse configurations to meet all kinds of demands

CAL 8000



Width×Depth×Height : 5360×1030× 1470 (mm)

MC-80

Automated Digital Cell Morphology Analyzer

More Clarity. More Intelligence.
More Productivity.



MC-80


Automated Digital Cell Morphology Analyzer

More Clarity



Display the ultra clarity and authenticity of each cell

The high-performance objective lens and advanced image sensor offer ultra resolution images to reappear the real view under the microscope.

Peripheral Blood




Body Fluid




More Intelligence


Reliable cell pre-classification and pre-characterization




— Accurately pre-classifies white blood cells, especially abnormal cells, such as blast cells, reactive lymphocytes, etc.



— Pre-characterized RBC morphology can be modified with one click.




— PLT counting assistance




High-speed FLY-MODE ensures the accurate **PLT clump identification**



Intelligent analysis rules facilitate a smart process and less manual intervention



Automatically react on analysis results, flag messages, scatter plots and etc.



Smarter process and less manual intervention via intelligent analysis rules




More Productivity




60 Slides/hour
Industry-leading high throughput

SOLID ROCK Hyper-stable anti-shake system: Aerospace materials and cutting-edge high-frequency exposure algorithm are integrated to eliminate blurred images.

Remote review and consultation in multiple locations



Automatically receives prepared smears



Easily search and take slides with one click



User-friendly and intuitive workflow



High-end touch screen for Intuitive interactions



STAT function for urgent cases